


HOTSY Pumps

Hotsy designed, Hotsy Engineered, Hotsy Manufactured! — Hotsy pump configurations allow you to choose the pumps that are precisely right for your needs. There are solid-shaft Hotsys for belt drive, hollow-shaft Hotsys for direct drive and solid-shaft Hotsys for direct drive with hollow-shaft motors. Pumps are available in performance ranges of 2 GPM to 10 GPM and up to 4000 PSI.

- Five frame sizes...duplex; small, medium, large and ex-large triplex
- Three speed ranges...low speed "H" models at 1200 rpm max, medium speed "HC" models at 1750 rpm max, and high speed "HS" models at 3600 rpm max
- Externally accessible check valves
- Two inlet and discharge ports facilitate system installation
- Anodized aluminum crankcase for heat dissipation
- Polished ceramic plungers reduce seal wear
- Oversized crankshaft and connecting rods
- Heavy-duty roller bearings or heavy-duty tapered roller bearings
- Internally-ported, self-lubricating seals
- Pumps available for pulley, direct or gear-reducer drive
- Seven-year crankcase warranty. Lifetime warranty on manifold – even against freezing or cracking

The Hotsy Advantage-Hotsy Pumps



Direct Drive - Hollow Shaft Units



"HC" DUPLEX SERIES: Direct Drive 2 plunger pumps designed for 1725 rpm, 56 electric motors.



Model / Part No.	GPM	PSI	HP	RPM	Shaft
HC165	2.2	1500	2.3	1725	5/8" Hollow
HC165R	2.2	1500	2.3	1725	5/8" Hollow
HC168R*	2.2	1500	2.3	1725	5/8" Hollow

*High Temp seals up to 180°F



"HC" TRIPLEX SERIES: Direct Drive 3 plunger pumps designed for 1725 rpm, 56C electric motors.



Model / Part No.	GPM	PSI	HP	RPM	Shaft
HC205AL	2.3	1500	2.4	1725	5/8" Hollow - C-Face
HC215	2.8	1500	2.9	1725	5/8" Hollow - C-Face
HC235	3.0	1500	3.1	1725	5/8" Hollow - C-Face

HOTSY Pumps (continued)

Direct Drive - Hollow Shaft Units

“HS” TRIPLEX SERIES: Direct Drive Tri-plunger pumps designed for gas engines.



HS

Model / Part No.	GPM	PSI	HP	RPM	Shaft
HS335CR	3.0	2500	5.1	3600	3/4" Hollow
HS3040G / 5-1260	3.0	4000	11	3400	1" Hollow
HS3540G / 5-1261	3.5	4000	11	3400	1" Hollow
HS4040G / 5-1262	4.0	4000	11	3400	1" Hollow
HS5030G / 5-1263	5.0	3000	11	3400	1" Hollow

Solid Shaft - Belt Drive Units

“HC/HS” SERIES: Tri-Plunger Belt Drive pumps.



HC/HS

Model / Part No.	GPM	PSI	HP	RPM	Shaft
HC240A	3.4	1750	4.1	1725	18mm Double
HC280	4.4	3000	5.3	1725	18mm Double
HC340R	4.0	2000	5.4	1725	24mm
HH340AR / 5-1865*	4.0	2000	5.4	1725	24mm
HS330R	2.7	2500	4.4	2800	24mm
HS340R	3.3	2500	5.4	2800	24mm

*High Temp Packings, up to 180°F



HC

Model / Part No.	GPM	PSI	HP	RPM	Shaft
HC450	4.0	3000	8.2	1725	22mm Double
HC450A	4.0	3000	8.2	1725	22mm Double
HC450R	4.0	3000	8.2	1725	22mm Right
HC460L	4.0	3000	8.2	1725	25mm Left
HC460AL	4.0	3000	8.2	1725	25mm Double
HC460R	4.0	3000	8.2	1725	25mm Right
HC500	4.8	3000	9.9	1725	22mm Double
HC500A	4.8	3000	9.9	1725	22mm Double
HC500R	4.8	3000	9.9	1725	22mm Right
HC500AR / 5-1866*	4.8	3000	9.9	1725	22mm Right

*High Temp Packings, up to 180°F



HC

Model / Part No.	GPM	PSI	HP	RPM	Shaft
HM4035 / 5-1220	4.8	3500		1500	
HC600	5.1	3000	10.5	1725	25mm Double
HC800	8.0	3000	16.5	1725	25mm Double
HC930R	5.4	4000	14.8	1725	25mm Right



HC

Model / Part No.	GPM	PSI	HP	RPM	Shaft
HC940R	8.0	3000	16.5	1725	25mm Right
5-1817	8.0	3000	16.5	1725	25mm Double
HC950R	9.3	3000	19.1	1725	25mm Right
5-1855	9.3	3000	19.1	1725	25mm Left
HHC95AR / 5-1867*	9.3	3000	19.1	1725	25mm Right

*High Temp Packings, up to 180°F

“H” SERIES: Tri-Plunger Belt Drive pumps designed for 1725 rpm.



H300

Model / Part No.	GPM	PSI	HP	RPM	Shaft
H300	4.0	3000	8.2	1200	22mm Double
H300A	4.0	3000	8.2	1200	22mm
H300AR / 5-1864*	4.0	3000	8.2	1200	22mm
H300R	4.0	3000	8.2	1200	22mm Right
H400	4.8	3000	9.9	1200	22mm Double
H400A	4.8	3000	9.9	1200	22mm
H450	4.8	3000	9.9	1200	25mm Double

*High Temp Packings, up to 180°F

HOTSY Pumps (continued)**Solid Shaft - Belt Drive Units****H500**

Model / Part No.	GPM	PSI	HP	RPM	Shaft
H500	5.8	3000	11.9	1200	25mm Double
H700	7.5	3000	15.4	1200	25mm Double

**HX****"HX" SERIES: High Volume / High PSI Belt Drive pumps**

Model / Part No.	GPM	PSI	HP	RPM	Shaft
HX8030R / 5-1242	8.0	3000	16.5	1470	25mm Right
HX8030L / 5-1243	8.0	3000	16.5	1470	25mm Left
HX1025R / 5-1249	10.6	2500	16.5	1725	25mm Right
HX1025L / 5-1248	10.6	2500	16.5	1725	25mm Left
HX5050R / 5-1238	5.0	5000	13.0	1660	25mm Right
HX5050L / 5-1239	5.0	5000	13.0	1660	25mm Left

Hollow Shaft - Direct Drive Electric Units**HE****"HE" SERIES: Hollow shaft pumps for direct drive electric units**

Model / Part No.	GPM	PSI	HP	RPM	Shaft
HE2020F / 5-1201	2.1	2000	5	3450	5/8"
HE2020S / 5-1202	2.1	2000	5	1725	5/8"

Solid Shaft - Belt Drive Units**HD****"HD" SERIES: Solid shaft pumps for belt drive units**

Model / Part No.	GPM	PSI	HP	RPM	Shaft
HD3030H / 5-1206	3.0	3000	9.0	1650	25mm

Hollow Shaft - Direct Drive Gas Units**HG****"HG" SERIES: Hollow shaft pumps for direct drive gas units**

Model / Part No.	GPM	PSI	HP	RPM	Shaft
HG2530G / 5-1250	2.5	3000	11.0	3400	3/4"

HOTSY Pump Repair Kit Selection Chart



Use the selection chart below to find the correct repair kits for the specific Hotsy Pump Model.

Pump Model	Seal Type	Seal Kit (qty / pump)	Complete Seal Kit (qty / pump)	Valve Kit (qty / pump)	Ceramic Sleeve (qty / pump)
H300	V	877654 (1)	753014 (3)	877648 (6)	877656 (3)
H300A	U	753094 (1)	753098 (3)	877648 (6)	877656 (3)
H300R	V	877654 (1)	753014 (3)	877648 (6)	877656 (3)
H400	V	877654 (1)	753014 (3)	877648 (6)	877656 (3)
H400A	U	753094 (1)	753098 (3)	877648 (6)	877656 (3)
H400R	V	877654 (1)	753014 (3)	877648 (6)	877656 (3)
H450	V	877649 (1)	877646 (3)	877648 (6)	877651 (3)
H500	V	877658 (1)	877657 (3)	877648 (6)	877659 (3)
H600	V	877650 (1)	877647 (3)	877648 (6)	877652 (3)
H700	V	877650 (1)	877647 (3)	877648 (6)	877652 (3)
HC165	V	877686 (1)	877685 (2)	877648 (4)	877684 (2)
HC165R	V	877686 (1)	877685 (2)	877648 (4)	877684 (2)
HC168R	U	753043 (1)	753044 (2)	877648 (4)	877684 (2)
HC205AL	V	877672 (1)	877673 (3)	877648 (6)	877674 (3)
HC215	V	877654 (1)	753014 (3)	877648 (6)	877656 (3)
HC235	V	877654 (1)	753014 (3)	877648 (6)	877656 (3)
HC240	V	877654 (1)	753014 (3)	877648 (6)	877656 (3)
HC240A	V	877672 (1)	877673 (3)	877648 (6)	877674 (3)
HC280	V	877654 (1)	753014 (3)	877648 (6)	877656 (3)
HS330R	V	753701 (1)	753037 (3)	753039 (6)	753040 (3)
HS340R	V	753701 (1)	753037 (3)	753039 (6)	753040 (3)
HS340R	U	753146 (1)	753147 (3)	753039 (6)	753040 (3)
HC340R	V	877672 (1)	753106 (3)	753039 (6)	753107 (3)
HC450	V	877654 (1)	753014 (3)	877648 (6)	877656 (3)
HD450A	U	753094 (1)	753098 (3)	877648 (6)	877656 (3)
HC450R	V	877654 (1)	753014 (3)	877648 (6)	877656 (3)
HC460L	V	877654 (1)	753014 (3)	877648 (6)	877656 (3)
HC460AL	U	753094 (1)	753098 (3)	877648 (6)	877656 (3)
HC460R	V	877654 (1)	753014 (3)	877648 (6)	877656 (3)
HC460AR	U	753094 (1)	753098 (3)	877648 (6)	877656 (3)
HC500	V	877654 (1)	753014 (3)	877648 (6)	877656 (3)
HC500A	U	753094 (1)	753098 (3)	877648 (6)	877656 (3)
HC500R	V	877654 (1)	753014 (3)	877648 (6)	877656 (3)
HC600	V	877649 (1)	877646 (3)	877648 (6)	877651 (3)
HC800	V	877650 (1)	877647 (3)	877648 (6)	877652 (3)
HC930R	V	877649 (1)	877646 (3)	753110 (6)	877651 (3)
HC940R	V	877658 (1)	877657 (3)	753069 (6)	877659 (3)
HC950R	V	877650 (1)	877647 (3)	753069 (6)	877652 (3)
HHS335CR	V	753701(1)	753037 (3)	753039 (6)	753040 (3)
HS335R	V	70-260824 (1)	70-260825 (3)	70-260007 (6)	70-260823 (3)
HS3040G	V	70-260824 (1)	70-260825 (3)	70-260007 (6)	70-260823 (3)
HS3540G	V	70-260824 (1)	70-260825 (3)	70-260007 (6)	70-260823 (3)
HS4040G	V	70-260824 (1)	70-260825 (3)	70-260007 (6)	70-260823 (3)
HS5030G	V	70-260824 (1)	70-260825 (3)	70-260007 (6)	70-260823 (3)
HX8030R	V	70-260207 (1)	70-260208 (3)	70-260025 (6)	70-260209 (3)
HX8030L	V	70-260207 (1)	70-260208 (3)	70-260025 (6)	70-260209 (3)
HX1025R	V	70-260207 (1)	70-260208 (3)	70-260025 (6)	70-260209 (3)
HX1025L	V	70-260207 (1)	70-260208 (3)	70-260025 (6)	70-260209 (3)
HX5050R	V	70-260207 (1)	70-260208 (3)	70-260025 (6)	70-260209 (3)
HX5050L	V	70-260207 (1)	70-260208 (3)	70-260025 (6)	70-260209 (3)
HHC300AR	U	753094 (1)	753098 (3)	877648 (6)	877656 (3)
HHC500AR	U	753094 (1)	753098 (3)	877648 (6)	877656 (3)
HHC950AR	U	753097 (1)	753093 (3)	753069 (6)	877652 (3)
HE2020F	V	70-261408 (1)	70-261409 (3)	70-260028 (1)	70-261404 (3)
H2020S	V	70-261410 (1)	70-261411 (3)	70-260028 (1)	70-261405 (3)
HD3030H	U	70-261412 (1)	70-261413 (3)	70-260028 (1)	70-261404 (3)
HG2530G	V	70-261408 (1)	70-261409 (3)	70-260028 (1)	70-261404 (3)

HOTSY Pump Seal Kits



Part No.	Kit Description
753043	20mm 2 CYL U Seal Hi Temp
753094	20mm 3 CYL U Seal
753146	15mm 3 CYL U Seal
753701	15mm 3 CYL
877649	20mm 3 CYL
877650	25mm 3 CYL
877654	20mm 3 CYL
877658	22mm 3 CYL
877672	18mm 3 CYL
877686	20mm 2 CYL
70-260824	15mm
70-260207	25mm
70-261408	15mm
70-261410	18mm
70-261412	15mm Hot Water

Complete Seal Kits



Part No.	Kit Description
753014	20mm 3 CYL
753044	20mm 2 CYL U Seal Hi Temp
753037	15mm 3 CYL
753098	20mm 3 CYL U Seal
753106	18mm 3 CYL
753147	15mm 3 CYL U Seal
877646	20mm 3 CYL
877647	25mm 3 CYL
877657	22mm 3 CYL
877673	18mm 3 CYL
877685	20mm 2 CYL
70-260208	15mm
70-260825	25mm
70-261409	15mm
70-261411	18mm
70-261413	15mm Hot Water

Ceramic Sleeve Kits



Part No.	Kit Description
753040	15mm
877651	20mm
877652	25mm
877656	20mm
877659	22mm
877674	18mm
877684	20mm - HC 165
70-260209	15mm
70-260823	25mm
70-261404	15mm
70-261405	18mm

Valve Kits



Part No.	Kit Description
753069	HC 940, HC 950 Series
753110	HC 930 Series
877648	10mm
70-260007	HS Series
70-260025	HX Series
70-260028	HE, HD, HG Series

HOTSY Pump Tool Kit



A must for every service department.

Save time using the right tool for the job. The HOTSY Pump Tool Kit includes:



- 6mm Allen Wrench
- 14mm Allen Wrench
- Plastic Covered Thin Blade Screwdriver
- Plastic Hammer
- Seal Extractor
- Two Piece Inserter for "V" Sleeves
- Two Part Seal Inserter for Plunger Rods
- Crankshaft Seal Inserter
- Two Piece Inserter for "V" Sleeves
- Two Part Seal Inserter for Plunger Rods
- Crankshaft Seal Inserter
- Plastic Tool Box
- Pliers, Seal Extractor



Part No.	Kit Description
918430	13 Piece Hotsy Pump Tool Kit
959260	Pliers, Seal Extractor

HOTSY Stingray Pump



This unique high pressure water pump couples with a hydraulic oil pump and only strokes 40 times per minute and provides high performance and long life.



- 10 GPM max
- 2000 PSI max

Part No.	Description
000803	HOP Pump - 9200
292633	Seal Kit

Pumpteck Pump

The Pumpteck Pump is a Twin plunger design originally used on the HOTSY Model Sport 500.

- 2 GPM max
- 1000 PSI max



Part No.	Description
830065	Pump-Sport 500
753170	Crankshaft
753168	Seal Kit w/ plunger
753169	Check Valve Kit

Interpump / General Pumps



Solid Shaft Pumps



Part No.	Interpump Model No.	GP Model No.	GPM	PSI	HP	RPM	Shaft Dia
102033*	W72	T721	2.2	1200	1.7	1450	24mm
102035*	W73	T731	3.0	1200	2.4	1450	24mm
727183	W99	T991	3.5	1500	3.5	1450	24mm
102052L	W99-Left	T991	3.5	1500	3.5	1450	24mm
102048	WS92	TS921	4.75	1800	5.8	1450	24mm
102046	W92	T921	5.0	1700	5.8	1050	24mm
102046L	W92-Left	T921	5.0	1700	5.8	1050	24mm
102042	WS82	TS821	5.6	1500	5.6	1450	24mm
726481	WS101	TS1011	4.0	2000	5.4	1450	24mm
5-23042	WS101	TS1011-Left	4.0	2000	5.4	1450	24mm
726452	W101	T1011	4.5	2000	6.0	1125	24mm
726453	W101	T1011-Left	4.5	2000	6.0	1125	24mm
726485	WS133	TS1331	3.5	2100	5.0	1450	24mm
102074	WS132	TS1321	4.75	2100	6.8	1450	24mm
726454	W132	T1321	5.5	2100	7.9	1150	24mm
830162	WS151	TS1511	4.0	2500	6.8	1450	24mm
5-2332	WS151	TS1511-Left	4.0	2500	6.8	1450	24mm
102082	W151	T1511	4.5	2500	7.7	1125	24mm
102090	WS162	TS1621	4.75	2500	8.0	1450	24mm
102088	W162	T1621	5.0	2500	8.5	1050	24mm
102105	W201	T2011	4.5	3000	9.2	1125	24mm
102110	WS201	TS2011	4.0	3000	8.0	1450	24mm
830249	WS202	TS2021	5.6	3000	11.3	1450	24mm
102115GL	WS202-Left	TS2021	5.6	3000	11.3	1450	24mm
726473	W972	T9721	2.1	1000	1.5	1750	24mm
102162	W973	T9731	2.8	1100	2.0	1750	24mm
102167*	W979	T9791	2.5	1100	2.0	1750	24mm
726476*	W995	T9951	3.4	1300	3.0	1750	24mm
102174*	W996	T9961	4.0	1100	3.0	1750	24mm
102176	W997	T9971	4.0	2000	5.0	1750	24mm
102135	W912	T9121	4.75	1500	5.0	1750	24mm
102140	W913	T9131	4.0	1900	5.0	1750	24mm
102145	W916	T9161	4.75	2300	7.5	1750	24mm
102150	W921	T9211	4.0	2900	7.5	1750	24mm
726472	W928	T9281	4.0	4000	11.0	1750	24mm
5-2321	W928	T9281-Left	4.0	4000	11.0	1750	24mm
830576	T5050	T5050	5.0	5000	11.0	1845	24mm
726462	T5050-Left	T5050	5.0	5000	11.0	1845	24mm
102097	-	TT9111	3.0	1500	3.0	1750	24mm
102049	WW93	TT931	2.9	1500	3.0	2800	24mm
726507	WW94	TT941	3.43	1300	3.0	2800	24mm
102099	WW935	TT9351	3.5	2500	5.0	3400	24mm
830060	WW944	TT9441	4.4	2500	7.5	3400	24mm
102087L	WW944-Left	TT9441	4.4	2500	7.5	3400	24mm

*Duplex Pump

Series "44" (EZ Series) Solid Shaft Pumps



Part No.	Interpump Model No.	GP Model No.	GPM	PSI	HP	RPM	Shaft Dia
102313	W956	EZ2536S	3.6	2500	6.0	1750	24mm
102317	W959	EZ2542S	4.2	2500	7.0	1750	24mm
5-23131	W959	EZ2542S-Left	4.2	2500	7.0	1750	24mm
726336	W186	EZ3040S	4.0	3000	8.0	3400	24mm
726337	W959	EZ3042S	4.2	3000	9.0	1750	24mm
5-2316	W959	EZ3042S-Left	4.2	3000	9.0	1750	24mm
102333	-	EZ4040S34	4.0	4000	11.0	3400	24mm



Interpump / General Pumps (continued)



TX Solid Shaft Pump

Part No.	Model No.	GPM	PSI	HP	RPM	Shaft Dia
102282	TX1510S34	4	3000	8.2	3400	24mm



TSF

Part No.	Model No.	GPM	PSI	HP	RPM	Shaft Dia
102281	TSF2021	7	3600	17.3	1450	24mm
102277	TSF2221	10.2	3000	21	1750	24mm
102278	TSF2421	12	2500	20.5	1750	24mm



Large Frame Solid Shaft Pumps

Part No.	Interpump Model No.	GP Model No.	GPM	PSI	HP	RPM	Shaft Dia
102004	W4A	T41A	12.0	900	7.2	650	35mm
726483	WS104	TS1041	8.0	1600	7.5	1450	35mm
102086	WS153	TS1531	8.0	2175	10.0	1450	35mm
102079	WS135	TS1351	11.0	2000	15.0	1450	32mm
726456	W163	T1631	10.0	2500	17.0	1080	32mm
102120	W203	T2031	9.0	3000	18.2	1140	32mm
102006	W6	T611	7.0	1000	11.6	650	35mm
102008	W8	T81	21.0	1000	14.5	650	35mm
102012	W12	T121	35.0	1000	24.0	650	35mm
102015	W15	T151	43.0	1000	29.7	650	35mm
102133	W425	T4251	6.6	5800	25.0	1000	35mm



Solid Shaft Car Wash Pumps

Part No.	Model No.	GPM	PSI	HP	RPM	Shaft Dia	Ship Wt lbs
102295	CW2040	5.0	2500	5.5	1250	24mm	30
102293	CW24	5.0	2500	8.6	1250	24mm	30
102286	CW3040	5.0	3000	8.3	1250	24mm	32
102287	CW1012	12.0	1200	10.0	900	24mm	46
102289	CW81	20.0	1200	18.0	1000	24mm	92

Hollow Shaft Direct Drive - Flange included

Part No.	Interpump Model No.	GP Model No.	GPM	PSI	HP	RPM	Shaft Dia
726466	W905E	T9051E	2.11	1400	2.0	1750	5/8"
102202L	W905E-Left	T9051E	2.11	1400	2.0	1750	5/8"
726497	WW906E	TT9061E	2.1	1400	2.0	3400	5/8"
726500	WW907E	TT9071E	2.8	1500	3.0	3400	5/8"
726499	WW906G	TT9061G	2.1	1400	2.0	3400	3/4"
102208	WW907G	TT9071G	2.8	1500	2.8	3400	3/4"

EZ Series Hollow Shaft

Part No.	Interpump Model No.	GP Model No.	GPM	PSI	HP	RPM	Shaft Dia
102301	W956EZE	EZ2536E	3.6	2500	6.2	1750	1-1/8"
726330	W959EZE	EZ2542E	4.2	2500	7.2	1750	1-1/8"
726331	W950EZE	EZ2545E	4.5	2500	7.9	3400	1-1/8"
102304	W953EZE	EZ2555E	5.5	2500	9.0	3400	1-1/8"
102311	WW962EZG	EZ2545G	4.6	2500	7.9	3400	1"
829772	WW960EZG	EZ3035G	3.5	2500	6.0	3400	1"
726335	WW961EZG	EZ3040G	4.0	2500	6.8	3400	1"

Interpump / General Pumps (continued)



Gas Hollow Shaft Direct Drive

Part No.	Model No.	GPM	PSI	HP	RPM	Shaft Dia	Ship Wt lbs
102130	TT1540GBF	4.0	1500	5.5	3400	3/4"	14
830009	TT2028GBF	2.8	2000	5.0	3400	3/4"	14
829684	TT2035GBF	3.5	2000	6.5	3400	3/4"	14
102122L	TT2035GBF-Left	3.5	2000	6.5	3400	3/4"	14



Hollow Shaft Direct Drive – Flanged for direct couple to electric motors

Part No.	Model No.	GPM	PSI	HP	RPM	Shaft Dia	Ship Wt lbs
102125	TT9111EBF	3.0	1500	3.0	1750	5/8"	14
102125L	TT9111EBF-Left	3.0	1500	3.0	1750	5/8"	14
102126	TT2021EBF	2.1	2000	3.0	3400	5/8"	14
830377	TT2028EBF	2.8	2000	4.0	3400	5/8"	14
830615	TT2035EBF	3.5	2000	5.0	3400	3/4"	14



Hollow Shaft Direct Drive – EZ Series flanged for direct couple to gasoline engines

Part No.	Model No.	GPM	PSI	HP	RPM	Shaft Dia	Ship Wt lbs
102324	EZ4030G34	3.0	4000	10.0	3400	1"	21
830575	EZ4035G34	3.5	4000	10.0	3400	1"	21
830596	EZ4040G34	4.0	4000	11.0	3400	1"	21



TX Series Hollow Shaft Direct Drive – flanged for direct couple to 184TC electric motor

Part No.	Model No.	GPM	PSI	HP	RPM	Shaft Dia
102335	TX1810E179	3.2	2000	4.4	1750	1 1/8
102336	TX1812E179	3.8	2000	5.2	1750	1 1/8

Interpump / General Pump Kit Selection Chart



Use this selection chart below and next page to find the correct repair kit for the specific Interpump / General Pump model.

Pump Model	Valves	Oil Seal Piston	Packings	Packing w/Brass	Ceramic	Valve Caps	Piston Bolts	Head Rings	Crank Oil Seal
CW1012	Kit 62	Kit 37	Kit 113	Kit 67	104813	–	Kit 74	Kit 65	Kit 32
EZ2542E	Kit 123	Kit 23	Kit 127	Kit 131	104804	Kit 124	–	Kit 129	104649
EZ2542S	Kit 123	Kit 23	Kit 127	Kit 131	104804	Kit 124	–	Kit 129	104644
EZ2545E	Kit 123	Kit 23	Kit 88	Kit 130	104800	Kit 124	–	Kit 90	104649
EZ3035G	Kit 123	Kit 23	Kit 88	Kit 130	104800	Kit 124	–	Kit 90	104649
EZ3040G	Kit 123	Kit 23	Kit 88	Kit 130	104800	Kit 124	–	Kit 90	104649
EZ3040S	Kit 123	Kit 23	Kit 88	Kit 130	104800	Kit 124	–	Kit 90	104644

Interpump / General Pump Kit Selection Chart (continued)

Use this selection chart below to find the correct repair kit for the specific Interpump / General Pump model.



Pump Model	Valves	Oil Seal Piston	Packings	Packing w/Brass	Ceramic	Valve Caps	Piston Bolts	Head Rings	Crank Oil Seal
EZ3042S	Kit 123	Kit 23	Kit 127	Kit 131	104804	Kit 124	–	Kit 129	104644
EZ3030G34	Kit 123	Kit 23	Kit 88	Kit 130	104800	Kit 124	–	Kit 90	104649
EZ3045G	Kit 123	Kit 23	Kit 88	Kit 130	104800	Kit 124	–	Kit 90	104649
EZ4035G34	Kit 123	Kit 23	Kit 153	Kit 156	104812	Kit 124	–	Kit 155	104649
EZ4040S34	Kit 123	Kit 23	Kit 153	Kit 156	104812	Kit 124	–	Kit 155	104644
T731	Kit 1	Kit 23	Kit 19	Kit 27	104809	Kit 4	Kit 6	Kit 21	104641
T921	Kit 1	Kit 2	Kit 148	Kit 29	104805	Kit 4	Kit 6	Kit 11	Kit 3
T991	Kit 1	Kit 23	Kit 19	Kit 27	104809	Kit 4	Kit 6	Kit 21	104641
T1011	Kit 1	Kit 2	Kit 69	Kit 28	104803	Kit 4	Kit 6	Kit 7	Kit 3
T1321	Kit 1	Kit 2	Kit 148	Kit 29	104805	Kit 4	Kit 6	Kit 11	Kit 3
T1631	Kit 1	Kit 24	Kit 148	Kit 28	104805	Kit 4	Kit 6	Kit 11	–
T4251	Kit 122	Kit 44	Kit 77	Kit 78	104810	–	–	Kit 7	Kit 32
T5050	Kit 150	Kit 2	Kit 109	Kit 151	104808	–	–	Kit 108	Kit 3
T9051EBF	Kit 1	Kit 83	Kit 97	Kit 96	104800	Kit 84	–	–	104644
T9211	Kit 1	Kit 2	Kit 69	Kit 28	104803	Kit 5	Kit 6	Kit 7	Kit 3
T9281	Kit 1	Kit 2	Kit 9	Kit 112	104808	Kit 106	Kit 107	Kit 108	Kit 3
T9721	Kit 1	Kit 23	Kit 19	Kit 27	104809	Kit 4	Kit 6	Kit 21	104641
T9731	Kit 1	Kit 23	Kit 19	Kit 27	104809	Kit 4	Kit 6	Kit 21	104637
T9951	Kit 1	Kit 23	Kit 19	Kit 27	104809	Kit 4	Kit 6	Kit 21	104641
T9971	Kit 1	Kit 23	Kit 19	Kit 27	104809	Kit 4	Kit 6	Kit 21	104641
TS1021	Kit 1	Kit 2	Kit 69	Kit 28	104803	Kit 4	Kit 6	Kit 7	Kit 3
TS1011	Kit 1	Kit 2	Kit 69	Kit 28	104803	Kit 4	Kit 6	Kit 7	Kit 3
TS1041	Kit 62	Kit 37	Kit 69	Kit 82	104803		Kit 54	Kit 7	Kit 32
TS1321	Kit 1	Kit 2	Kit 148	Kit 29	104805	Kit 4	Kit 6	Kit 11	Kit 3
TS1331-B	Kit 1	Kit 2	Kit 69	Kit 28	104803	Kit 4	Kit 6	Kit 7	Kit 3
TS1511	Kit 1	Kit 2	Kit 69	Kit 28	104803	Kit 4	Kit 6	Kit 7	Kit 3
TS1531	Kit 62	Kit 37	Kit 69	Kit 82	104803		Kit 54	Kit 7	Kit 32
TS2011	Kit 1	Kit 2	Kit 69	Kit 28	104803	Kit 5	Kit 6	Kit 7	Kit 3
TS2021	Kit 1	Kit 2	Kit 69	Kit 28	104803	Kit 5	Kit 6	Kit 7	Kit 3
TT9111	Kit 1	Kit 83	Kit 141	Kit 140	104806	Kit 84	–	–	104641
TT941	Kit 1	Kit 83	Kit 97	Kit 96	083807	Kit 84	–	–	104641
TT9441	Kit 1	Kit 23	Kit 88	Kit 92	104800	Kit 4	–	–	104641
TT2028	Kit 1	Kit 83	Kit 97	Kit 96	083807	Kit 84	–	–	104637
TT2035	Kit 1	Kit 83	Kit 97	Kit 96	083807	Kit 84	–	–	104637
TT9061	Kit 1	Kit 83	Kit 97	Kit 96	083807	Kit 84	–	–	104637
TT9071	Kit 1	Kit 83	Kit 97	Kit 96	083807	Kit 84	–	–	104637

Pump	Valve Kit	Oil Seal	Packings	Valve Cap	Crankshaft Oil Seal
TSF2021	KIT 169	KIT 2	KIT 171	104800	KIT 3
TSF2221	KIT 169	KIT 2	KIT 173	107921	KIT 3
TSF2421	KIT 169	KIT 2	KIT 182	107923	KIT 3

Pump	Valve Kit	Oil Seal	Packings	Packing Assy.	Ceramic	Valve Cap	Int Ring	Short Packing	Soft Packing	Long Packing Kit	Seal Retainer
TX1510534	KIT 123	KIT 159			104800	KIT 124	KIT 164	KIT 160	KIT 162	KIT 166	
TX1810E179	KIT 123	KIT 159	KIT 161	KIT 167	104800	KIT 124	KIT 165				KIT 163
TX1812E179	KIT 123	KIT 159	KIT 161	KIT 167	104800	KIT 124	KIT 165				KIT 163

Genuine Interpump / General Pump Kits

We stock a complete selection of original Interpump / General Pump repair kits.

- Complete selection of repair kits



Part No.	Description
KIT1	Kit 1, Valve
753076	Kit 3, Crankshaft Oil Seal
726395	Kit 4, Valve Caps
726408	Kit 6, Piston Bolt
726419	Kit 7, Head Ring
726425	Kit 8HP, 20mm Packing
103008LP	Kit 8HP, new style Packing Kit
103009X	Kit 9, Packing Spacer
726339	Kit 10, Retainer 20mm Packing
103011B	Kit 11, 22mm Head Ring
726356	Kit 12, 22mm Packing
103014B	Kit 14, Retainer 22mm Packing
103015B	Kit 15, Packing Adapter
726372	Kit 16, 24mm Packing
726373	Kit 17, 24mm Intermediate Ring
103018B	Kit 18, Packing Retainer
726375	Kit 19HP, 20mm Packing
103019NB	Kit 19, new style
103020B	Kit 20, 20mm Intermediate Ring
726378	Kit 21, 20mm Head Ring
103022B	Kit 22, 20mm Packing Retainer
753079	Kit 23, Piston Rod Oil Seal
726381	Kit 24, Piston Rod Oil Seal
103026B	Kit 26, Piston Bolt
726383	Kit 27, 20mm Packing Assembly
753080	Kit 28, 20mm Packing Assembly
726385	Kit 29, 22mm Packing Assembly
103030B	Kit 30, 24mm Packing Assembly
726390	Kit 32, Crankshaft Oil Seal
726391	Kit 37, Piston Rod Oil Seal
726392	Kit 38, 36mm Packing
726396	Kit 41, Packing Adapter
726400	Kit 44, Piston Rod Oil Seal
726404	Kit 50, Valve Kit
103051B	Kit 51, Timax Maintenance
726406	Kit 58, K5 Maint.
726407	Kit 59, K3 Maint.
103060B	Kit 60, K5 Complete Rebuild

Part No.	Description
726410	Kit 61, K3 Complete Rebuild
726411	Kit 62, Valve
726412	Kit 63, 30MM Packing
726413	Kit 64, Packing w/Intermed. Rings
103065B	Kit 65, 30MM Head Ring
726415	Kit 66, Packing Spacer
726416	Kit 67, 30mm Packing Assembly
103069NB	Kit 69, 20mm Packing w/Restop
726420	Kit 70, K7 Maint.
103071B	Kit 71, Intermed. Ring w/Restop
726421	Kit 72, Maint. Kit
726422	Kit 74, Piston Bolt
103077B	Kit 77, 20mm Packing w/Restop
726424	Kit 79, 45mm Packing w/Restop
726426	Kit 80, 45mm Packing Assembly
726427	Kit 81, Intermediate Ring
753060	Kit 83, Oil Seal
753059	Kit 84, Valve Cap
103085B	Kit 85, Complete Packing
726432	Kit 86, Packing Retainer
103087B	Kit 87, Packing
753227	Kit 88, Packing EZ3040G
726435	Kit 89, Intermediate Ring
726437	Kit 90, Head Ring
726438	Kit 91, Packing Retainer
726439	Kit 92, Piston Seal
753073	Kit 93, Control Set W2
726441	Kit 94, Control Set
103095B	Kit 95, KR Unloader
103061B	Kit 96, Packing Assembly
726444	Kit 97, Packing
103098B	Kit 98, ZKW1 Maint.
103220B	Kit 100, Hot Kit 190° Water (Replaces Kits #1 & #28)
103101B	Kit 101, Hot Kit Valve
726341	Kit 102, Unloader Maint.
103105B	Kit 105, P10 Maint.
103106B	Kit 106, Valve Cap
753171	Kit 107, Piston Bolt Pump T9281
726346	Kit 108, Head Ring for T-9281
726347	Kit 109, 16mm Packing

Part No.	Description
726349	Kit 110, 16mm Intermediate Ring
103111B	Kit 111, Packing Retainer, 16mm Pump T9281
753082	Kit 112, 16mm Packing Assembly
726352	Kit 113, Packing Assembly
726354	Kit 118, Packing
103119B	Kit 119, Packing
726357	Kit 120, Unloader
726358	Kit 122, Valves
753083	Kit 123, Valve EZ3040
753084	Kit 124, Valve Cap and O-Ring for EZ Pump
726361	Kit 125, EZ Pump
103126B	Kit 126, EZ Pump
103127B	Kit 127, Packing EZ2542S
726363	Kit 129, Head Ring EZ Series
753085	Kit 130, Packing Complete
103131B	Kit 131, EZ Pump
726367	Kit 134, Valve TH Pump
103140B	Kit 140, Packing Assembly, T9111
103141B	Kit 141, General
726369	Kit 148, 22mm Packing
726370	Kit 149, Ring Intermediate
877678	Kit 150, Valve General T5050
877679	Kit 151, Packing Retainer
103153B	Kit 153, Packing Kit
103156B	Kit 156, 13mm Packing
103159B	Kit 159, Oil Seal
103160B	Kit 160, Short Packing
103161B	Kit 161, Packings
103162B	Kit 162, Packings
103163B	Kit 163, Seal Retainer
103164B	Kit 164, Int Ring
103165B	Kit 165, Int Ring
103166B	Kit 166, Long Kit 1
103167B	Kit 167, Packing Assy
103169B	Kit 169, Valve Kit
103170B	Kit 170LP Seal Kit & HP Seal
103171B	Kit 171, Packings
103172B	Kit 172, Low/High Packing
103173B	Kit 173, Packings
103181B	Kit 181, LP Seal Kit & HP Seal
103182B	Kit 182, Packings

AR Triplex Ceramic Plunger Pumps



830619

Direct Drive Gas Engine Flanged Models

Part No.	Model No.	GPM	PSI	BHP	RPM	Shaft Dia	Weight lbs
101804	XTV3G16D-F7	3.0	1600	3.0	3400	3/4"	10
830190	XTV3G20D-F7	3.0	2000	4.0	3400	3/4"	11
101701	XTV3G22D-F7	3.0	2200	4.5	3400	3/4"	11
101718	XMV25G26D-F25	2.5	2600	5.0	3400	3/4"	19
830592	XMV3G30D-F24	3.0	3000	6.0	3400	1"	19
101702	XMV3G25D-F25	3.0	2500	5.0	3400	3/4"	19
101796	XMV35G25D-F24	3.5	2500	5.5	3400	1"	19
101792	XMV35G25D-F25	3.5	2500	5.5	3400	3/4"	19
101797	XMV4G30D-F24	3.8	3000	7.5	3400	1"	19
830619	RKV35G30AD-F24	3.5	3000	5.0	3400	1"	21
101866	RKV4G30AD-F24	4.0	3000	7.5	3400	1"	21
101867	RKV4G32D-F24	4.0	3200	8.5	3400	1"	21
830618	RKV4G35HD-F24	4.0	3500	10.0	3400	1"	21



101780

Solid Shaft Models

Part No.	Model No.	GPM	PSI	BHP	RPM	Shaft Dia	Weight lbs
101731	XTA3G22N	3.0	2200	4.5	1750	24mm	11
101734	XTA3G19N	3.0	1900	4.0	1750	24mm	11
101780	XMA3.5G25N	3.5	2500	5.5	1750	24mm	18
830597	RKA4G20N	4.0	2000	5.0	1750	24mm	19
101873	RKA4G30N	4.0	3000	7.5	1750	24mm	19
101875	RKA4G35N	4.0	3500	10.0	1750	24mm	19
101877	RKA4G40HN	4.0	4000	11.0	1750	24mm	21
101765	XW2128N	5.5	4060	15.0	1450	24mm	34
101752	XWA8G29	8.0	2900	15.0	1750	24mm	21
101750	XW2623	6.87	3400	15.0	1450	24mm	34



830151

Direct Drive Electric Flanged Models

Part No.	Model No.	GPM	PSI	BHP	RPM	Shaft Dia	Weight lbs
101742	XTA2G15E-F8	2.1	1500	2.0	1750	5/8"	9
101801	XTV2G15EBA-F8	2.1	1500	2.0	3400	5/8"	10
101803	XTV3G16E-F8	3.0	1600	3.0	3400	5/8"	10
101737	XTV3G20E-F8	3.0	2000	4.0	3400	5/8"	11
101717	XTV3G22E-F8	3.0	2200	4.5	3400	5/8"	11
101756	XTA3G22E-F8	3.0	2200	4.5	1750	5/8"	11
830151	XTA2G15EBA-F8	2.1	1800	3.0	1750	5/8"	10
101755	XTA3G16EBA-F8	3.0	1600	3.0	1750	5/8"	10
101871	RKA4G20E-F17	4.0	2000	5.0	1750	1-1/8"	21
101872	RKA4G30E-F17	4.0	3000	7.5	1750	1-1/8"	21

AR Pump Repair Kit Selection Chart

Use the following chart to find AR Repair Kits by pump model number. See next page for AR kit pricing. We also stock a broad selection of non-kit AR repair parts.



Pump Model	Water Seals	Check Valves	Oil Seals	Piston Kit	Piston Guide	Support Rings	Hot Kit
XJV	AR002798	AR001864	AR002797	AR002796	AR1980180 ea	AR1980190 ea	NA
XJW	AR002800	AR001864	AR002797	AR002796	AR1980180 ea	AR1980190 ea	NA
XT-15MM	AR001866	AR001864	AR001872-N ver	AR002628	AR1260151 ea	AR1520120 ea	AR002029-V AR002725-H/D
XT-18MM	AR001874	AR001864	AR001872-N ver	AR002629	AR1260450 ea	AR1320340 ea	AR002030-V AR002726-H/D
XTA-15MM	AR001866	AR001864	AR001860-E ver	AR002628	AR1260151 ea	AR1520120 ea	AR002029-V
XTA-18MM	AR001874	AR001864	AR001860-E ver	AR002629	AR1260450 ea	AR1320340 ea	AR002030-V
XTV	AR001866	AR001864	AR001860-D, E ver AR001872-N ver	AR002628	AR1260151 ea	AR1520120 ea	AR002029-V AR002725-H/D
XM-15MM	AR002741	AR001864	AR002786-N ver	AR002544	AR1780090 ea F	AR002740 AR1780100 ea R	AR002776
XM-18MM	AR002747	AR001864	AR002786-N ver	AR002545	AR1780110 ea F	AR002745 AR1780120 ea R	AR002777
XMA-15MM	AR002741	AR001864	AR002786-N ver	AR002544	AR1780090 ea F	AR002740 AR1780100 ea R	AR002776
XMA-18MM	AR002747	AR001864	AR002786-N ver	AR002545 AR002787-E ver	AR1780110 ea F	AR002745 AR1780120 ea R	AR002777
XMV	AR002741	AR001864	AR002786-N ver	AR002544 AR002787-D ver	AR1780090 ea F	AR002740 AR1780100 ea R	AR002776
XRC-18MM	AR001857	AR001828	AR001855- N ver	AR002546	AR1380090 ea	AR001829	AR002809
XRC-20MM	AR001887	AR001828	AR001855- N ver	AR002547	AR1380150 ea	AR001815	AR002810
XRCA-18MM	AR001857	AR001828	AR001855- N ver	AR002546 AR001856-E ver	AR1380090 ea	AR001829	AR002809
XRCA-20MM	AR001887	AR001828	AR001855- N ver	AR002547 AR001856-E ver	AR1380150 ea	AR001815	AR002810
XRCV	AR001857	AR001828	AR001856-D, E ver	AR002546	AR1380090 ea	AR001829	AR002809
RK-18MM	AR001857	AR002864	AR001855-N ver	AR002546	AR1380090 ea	AR001829	AR002809
RK-20MM	AR001887	AR002864	AR001855-N ver	AR002547	AR1380150 ea	AR001815	AR002810
RKA-18MM	AR001857	AR002864	AR001855-N ver	AR002546	AR1380090 ea	AR001829	AR002809
RKA-20MM	AR001887	AR002864	AR001855-N ver	AR002547	AR1380150 ea	AR001815	AR002810
RKV	AR001857	AR001828	AR001856	AR002546	AR1380090 ea	AR001829	AR002809
XW-20MM	AR002782	AR002780	AR002781	AR002650	AR002784	NA	AR002778
XW-22MM	AR002783	AR002780	AR002781	AR001891	AR002785	NA	AR002779
XWA-20MM	AR002782	AR002780	AR002781	AR002650	AR002784	NA	AR002778
XWA-22MM	AR002783	AR002780	AR002781	AR001891	AR002785	NA	AR002779
SXW-18MM	AR002874	AR002871	AR002873	AR002548	AR002875	NA	NA

AR Pump Kits



Original Factory Direct Repair Kits. See previous page for kit selection chart. Don't see what you're looking for? Give us a call. We stock a broad selection of AR replacement parts. AR piston kits contain all that you need to repair broken pistons. O-rings, Washer, nuts, plungers... YOU GET IT ALL!



Part No.	Description
723208	Packing
723209	Packing, 20mm
723210	Pump
723212	Piston
723213	Valve Kit
723214	Piston Bolt
723216	Valve
723217	Ring, Support XRA/XRV*
AR001830	Repair, AR 2882 O-Rings Only
723219	Piston - XRA/XRV*
723220	Piston - XRA, XR
AR001855	Oil Seal - XRA*
AR001856	Oil Seal - XRV
723228	Packing - XRA/XRV*
723229	Seal - Oil, XTV*
723231	Valve Kit
723232	Oil Seal
723233	Packing Kit
AR001869	Repair Unloader
723235	Oil Seal
AR001873	Oil Seal Kit Cmplt
723237	Packing

*Series

Part No.	Description
723240	Water Seals
AR002031	Viton Seal - XRA
753257	Oil Seal
753258	Seal
AR002542	Piston - XWA8G30N-SX
AR002544	Piston - XM*
AR002546	Piston - XRCA/XRCV
723245	Seal
783087	AR Piston #2628
723246	Repair, Combi-Set
723248	Support Ring, XM*
AR002741	Water Seal, XM*
AR002744	XFV Manifold Assy
AR002747	Packing XMA* 18MM
AR002776	Hot/Dry Cup
753250	Valve - XWA8G30N-SX
AR002781	Seal - XWA8G30N-SX
AR002782	Piston Seal - XWA8G30N-SX
AR002784	Piston Guide - XWA8G30N-SX
AR002786	Oil Seals - XMA35G25N
AR002787	Oil Seals

*Series

Comet Pumps & Pump Kits



For use in homeowner or light commercial duty pressure Washer.



- One piece bronze connection rods
- Built in unloader
- Increased surface area for lower operating temperatures
- Ultra high pressure head

Part No.	Model No.	GPM	PSI	RPM	Shaft Dia
101850	AXD 3020 G	2.75	2000	3400	3/4"
830160	AXD 2527 G	2.5	2700	3400	3/4"



Comet kits and parts are available for any Comet model. Call with model number for quick and accurate service.

Part No.	Model No.
CT0202002000	Piston 15MM FWD
CT0202002200	Piston 18MM FWD
CT5019003500	Seal Kit LWD HP
CT5019003800	Packing Kit FWS / FWD
CT5019004500	Seal Kit Oil LW Series Hollow
CT5019006400	Seal Kit ZWD4030G
CT5019006500	Seal Kit Hollow Shaft Pumps
CT5019007700	Seal Kit AXD3020
CT5025001100	Valve Kit ZWD / FWS / FWD / HW / FW / LW

PUMPS & PUMP KITS

Ceramic Plungers



Precision ground, high polish, solid ceramic plungers, designed for long life even under constant use.

Part No.	GP Part No.	Piston
104798	51040109	15mm
829892	52040009	15mm, EZ Series
104801	46040009	for W50 Pump
104802	76040056	30mm
104803	47040409	20mm
104804	44040109	18mm, EZ Series
725992	47040509	22mm
104807	47040609	24mm Solid, Ceramic
725994	47040856	16mm, 47 Series
726040	50040409	20mm, T Series 49
104810	61040056	20mm, 76 & 77 Series
104811	69040009	36mm
104812	44040266	13mm, EZ Series
104813	69040109	30mm
104815	76040209	45mm
104806	51040109	Plunger, 18mm, TP Series

Packing & Seal Kits

UPC, General Pump and Interpump Replacement Kits.



Time-tested Quality Parts Meet or Exceed Factory Specifications

Part No.	Description
103001X	Kit 1, Check Valve
103002X	Kit 2, Oil Seal
103003X	Kit 3, Crankshaft Oil Seal
103008X*	Kit 8, V-Packing
103009X*	Kit 9, Intermed Packing
103012X*	Kit 12, V-Packing
103019X*	Kit 19, V-Packing
103023X	Kit 23, Crankcase Oil Seal
103024X	Kit 24, Crankcase Oil Seal
103027X*	Kit 27, Plunger Repair
103028X*	Kit 28, Plunger Repair
103029X*	Kit 29, Plunger Repair
103037X	Kit 37, Oil Seal
103083X	Kit 83, Oil Seal
103087X	Kit 87, V-Packing
103097X	Kit 97, Packing

*These are old style kits to replace components in Interpump/General pumps with two brown Buna-V packings; (pumps built before the change was made to restop ring and black low-pressure seals.)

Piston Pumps



100315

- Cast iron body
- Stainless steel check valves
- Complete with base or torque arm
- Buna cups
- 140° except 5321
- 180° 5321
- 1/2 NPT Ports

Part No.	Hypro	GPM	PSI	RPM
Solid Shaft				
100314	5315	1.5	500	1750
100319	5320	2.0	500	1750
100321	5321	2.2	1000	1750
100322	5321	2.2	1000	1750
100325	5324	2.9	800	1750
100331	5330	3	500	1750
Hollow Shaft				
100315	5315	1.5	500	1750
100316*	5315	1.5	500	1750
100320	5320	2.0	500	1750
100324	5324	2.9	800	1750
100326	5325	2.5	500	1750
100330	5330	3.0	500	1750
100301	Injector Head 5320/5330 Pump			
100306	Injector Head 5321/5324 Pump			

*100316 Has Teflon Seals

Pump Parts & Tools



For 5300 series pump.



Piston Repair Kit



Valve Seat Tools



Valve Cage Tools

- A necessity for working on 5300 series pumps
- Rugged construction

Part No.	Description
726993	Piston Repair Kit - H34300010 (Model 5320 pump)
877510	Piston Repair Kit - H34300144 (Model 5321 pump)
H34300197	Check Valve Kit (All 5300 Pumps)
449052	Valve Cage Tool
449071	Valve Seat Tool

NOTE: Piston Repair Kits have Buna seal

Jetter Pulse Valves



Replaces valve cap to create pulsation action, to move nozzle in pipe cleaning applications.



Part No.	Description
410316	For EZ Pumps
410317	For 47 Series Pumps
410318	For TT Pumps

Accumulator by Interpump



Pulse Dampener.



- 3/4" MPT connector
- 10 GPM
- 1350 PSI
- Weight 1 lb

Part No.	Description
381110	Accumulator

Accumulator - Pulse Dampener



- 180°F
- Precharge Pressure 580 PSI

381102 381104

Part No.	Working PSI	Capacity	Inlet
381102	3100	21.4 CU"	1/2"F
381103	3100	6.1 CU"	3/8"F
381104	4400	2.5 CU"	3/8"F

Packing Extractor

Virtually Unbreakable Sockets will pull Packings from Interpump, General and other brand pumps.

Easy to Use: Slide-Hammer (shown below) attaches to Slotted Socket—which expands inside the Packing Gland. The Slide Hammer then pops the Packing Gland Brass out of the Head to facilitate easy seal repairs without damage to Brass Support Rings.



Part No.	Description
----------	-------------

Slide Hammer

449299	Hammer Only
--------	-------------

Sockets for Regular Slide Hammer

449302	18mm Socket
449301	15mm Socket
449303	20mm Socket
449304	22mm Socket
449307	25mm Socket

Large Slide Hammer

449309	Large Slide Hammer
--------	--------------------

Sockets for Large Slide Hammer

449311	30mm Socket
449312	38mm Socket
449313	45mm Socket

Interpump Packing Extractor Tool



Expansion Tool inserts into Packing Gland to remove lodged Packing Components.



Part No.	Description
----------	-------------

449310	Extractor (only)
--------	------------------

Expansion Sockets for Extractor Above

449315	15mm (Ref Kit 86 & 97)
449320	20mm (Ref Kit 8 & 19)
449322	22mm (Ref Kit 12)
449324	24mm (Ref Kit 16)

NOTE: 15mm Expansion Sockets also fit Admiral Pump W-Series pumps.

O-Ring Tool

Indispensable for Pump Repair. Excellent for removing O-Rings, seals, etc.



- 6" long dental pick
- Knurled handle
- Stainless steel
- Double-end

Part No.	Description
249737	Dental Pick

V-Packing Insertion Tool Kit



Contains Inserting Tools for installing 20mm, 22mm and 24mm V-Packings in the Packing Gland. Prevents damaged sealing surfaces.

Part No.	Description
726585	V-Packing Kit

Pump Oil



- Formulated to exceed the factory specifications for HOTSY and other high pressure pumps.
- 30 wt non-detergent, non-foaming

Part No.	Description
315068	32 oz Bottle

Pump Oil



Formulated to meet the factory specifications for Admiral, Interpumps, General Pumps and other high pressure pumps.

Part No.	Description
112055	Pump Oil (quart)
112075	Case Lots (12 ea)

Pump Lube



- A premium quality lubricating oil fortified with additives to reduce friction, foaming & corrosion
- Excellent for use in CAT PUMPS and other fine precision machinery

Part No.	Description
112056	Pump Lube (quart)
112076	Case Lots (12 ea)

"Inter-Lube-Red" Gear Lube



Inter-Lube Red Gear Lube is a multi-viscosity SAE 80W 90 lubricant with anti-friction, anti-foaming and corrosion inhibitor additives. Use in Admiral Geared Speed Reducers and Interpump/General RS99, RS151, PTO as well as other High Speed Gear Boxes.

Part No.	Description
112052X	Interlube (quart)
112072X	Case Lots (12 ea)

PUMPS & PUMP KITS

Geared Reduction



Specifically designed for Legacy and Admiral pumps



- Engine-to-Pump drive units
- 2.1 to 1 reduction ratio (3675 Eng. RPM=1750 Pump RPM)
- Engine shaft size = 1" or 1-1/8"
- Pump shaft size = 24mm or 30mm

Part No.	Fits Shaft Sizes
349120	24mm Pump x 1" Engine
349121	30mm Pump x 1" Engine
349122	30mm Pump x 1-1/8" Engine

Geared Reduction



Fits: Admiral - Interpump - AR - Comet - Udor - Hawk



- Engine-to-Pump drive units
- 2.18 to 1 reducer
- For 11-18 HP Gasoline Engine

Part No.	Fits Shaft Sizes
349130	1" Engine Shaft
349131	1-1/8" Engine Shaft

PTO Geared Multiplier



- 1 to 1.9 speed multiplier
- 1-3/8" splined shaft (same shaft as standard tractor PTO)
- 540 RPM PTO speed multiplied to 1026 RPM at pump shaft

Part No.	Description
349005	Gear Multiplier

Anti-Seize Compound

Recommended for All Metal to Metal Power Drive Assemblies – Facilitates Removal After Use.



- Copper - Graphite or Nickel
- Copper - Graphite High torque for high temperature to 1800°F
- Nickel continues to work up to 2400°F
- Stops rust, galling & seizure on pulley/shaft or gear/shaft interfaces

Part No.	Description
112299	Blister Pack (1 appl) copper - graphite
112305	8 oz Brush Top Can - nickel

Geared Reduction Units Interpump / General



For use with 1450 RPM Interpump, General Pumps and Admiral A-W99

- RS99** – 2.4:1 Gear Reduction (3480 Eng. RPM = 1450 RPM Pump)
For 3-5 HP Briggs, Honda-Tecumseh-Kohler with 3/4" shaft
- RS151** – 2.2:1 Gear Reduction (3190 eng. RPM = 1450 RPM pump)
For 7-18 HP Briggs, Honda engines with 1" or 1-1/8" shaft (must specify)
Use with the appropriate size: "WS" series Interpump, "TS" series General pump



- Eliminates belts, pulleys & belt guards
- Engine-to-Pump drive units
- Improve efficiency

Part No.	Engine Shaft
RS-99	
349009	3/4"
RS-151	
349011	1"
349013	1-1/8"

Flex Couplers



24mm Pump Shaft Couplers. Direct Drive Flex Coupling
24mm Interpump/General & Admiral XLS Series Pumps to NEMA Standard Motor Shafts.



2-Piece Coupler

Part No.	NEMA Frame	Drive Shaft
2-Piece Coupler		
336028	56 A	5/8"
336030	145 T	7/8"
336032	184 T	1-1/8"
336036	215 T	1-3/8"
339112A	Gas (Aluminum)	1"
080320	Rubber Bumper - Replacement	

Flanges

Direct Attachment of Interpump/General Pumps to NEMA Standard C-Face Motors.



Part No.	NEMA Frame	Drive Shaft
336020	56/145TC	W973
336024	184TC	W995
336025	215TC	W913
339120	8-13 HP(G)	WW161